



Docket No. 12969

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Bitler

Group Art Unit: 1716

Serial No.: 09/398,377

Examiner: Szekely, P.

Filing Date: 09/17/99

Title: Polymeric Thickeners for Oil-Containing Compositions

RECEIVED
MAY 4 2001
TC 1700

Version with Markings to show Changes requested by the Reply mailed April 25, 2001
in accordance with 37 CFR 1.121 (c) (1) (ii)

This paper sets out a version of each of the claims rewritten as requested by the Reply filed April 25, 2001 (but not the claims which were unchanged), marked up to show all the changes relative to the previous version of the claim. In this version,

- (i) a parenthetical expression (which is the same as the parenthetical expression in the clean version of claims set out in the Reply) follows the claim number and indicates the status of the claim as amended, and
- (ii) the changes are shown by brackets (for deleted matter) and underlining (for added matter).

10. (Twice Amended) A thickened oil composition comprising
- (1) an oil, and
 - (2) dispersed in the oil, a polymer which
 - (a) has a crystalline melting point, T_p , and an onset of melting temperature, T_o , such that $T_p - T_o$ is less than $T_p^{0.7}$;
 - (b) is soluble in the oil at temperatures above T_p ,

CERTIFICATE OF MAILING UNDER 37 CFR 1.8

I hereby certify that this correspondence is being deposited with United States Postal Service with sufficient postage as first-class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231
On April 25,, 2001

Typed name of person signing this certificate: T.H.P. Richardson
Signature

- (c) has been dispersed in the oil by a process which comprises
(i) dissolving the polymer in the oil at a temperature above T_p ,
and
(ii) cooling the solution to crystallize the polymer in the oil,
and
(d) is a side chain crystalline (SCC) polymer which is
substantially free of functional groups, and which consists
essentially of [units selected from]

[(a)] (i) 50 to 100% by weight of units derived from at
least one n-alkyl acrylate or methacrylate in which the n-alkyl
group contains 12 to 50 carbon atoms, and

[(b)] (ii) less than 50% by weight of units derived from
at least one alkyl acrylate or methacrylate in which the alkyl
group is not an n-alkyl group containing [10] 12 to 50 carbon
atoms;

the composition being at a temperature below T_p .

11. (Amended) A composition according to Claim 10 wherein the SCC polymer is
present in amount at least 3 % by weight and the n-alkyl group in the (i) units contains
16 to 50 carbon atoms.